DAVEY ChloroMatic Nipper™

0000

THE LITTLE LIFE SAVER FOR AUSSIE POOLS







APPLICATION

Ideal for in-ground and above ground residential swimming pools. Models suitable for pools up to 175,000L. Designed for normal and low salt levels in mineral and normal salt water pools.

SALT & MINERAL WATER CHLORINATOR

- High performance reverse polarity in-line cell with integrated safety flow switch
- New switchmode power supply for energy efficiency
- No Flow indicators with safety cut-off for cell protection
- Comprehensive user-friendly full digital LCD display
- Modes for chlorine boost and chlorine reduction (including winter mode)
- Operating Normal Salt Level: 3000 6000ppm
- Operating Low Salt Level: 1500 6000ppm



PAVEY ChloroMatic Nipper[™] Reverse Polarity Pool Chlorinator



- **UV stabilised enclosure** for strength and durability
- Digital LCD display for user-friendly operation
- High performance reverse polarity U-shaped cell with easy-fit connection

Integrated safety flow switch Integrated safety flow switch

Models to suit normal salt, mineral salt and low salt

	CHLORINE OUTPUT	Туре			Maximum Pool Size (Litres)			
			Chlorine Gas Production (g/hr 100%)	Calcium Hypochlorite (g/hr 65% equivalent)	Cool Climates <25°C	Temperate Climates 25°C to 30°C	Hot & Tropical Climates >30°C	
(DNP15C	15	23	75,000	58,000	46,000	
		DNP25C	25	38	125,000	96,000	80,000	
		DNP35C	35	53	175,000	134,000	112,000	
		DNP15CLS	15	23	75,000	58,000	46,000	
		DNP25CLS	25	38	125,000	96,000	80,000	

	DIMENSIONS	Controller				Cell Housing				
	All models (mm)	Height	Width	Depth	Mounting Holes	Height	Width	Diameter	Inlet	Outlet
		320	240	113	164	239	390	119	50	50



220-240

1

50/60

34

9

0.12


0.24

 Voltage (V)
 Phase

 ELECTRICAL DATA All models
 Supply Frequency (Hz)


 Enclosure Class (IP)
 Max. Load of Pump GPO (amps)

 Max. Power (kW)
 15g/hr 25 & 35g/hr



IMPORTANT NOTES

- 1. In 'hard water' applications (above 275ppm), reverse polarity systems will require regular (monthly) inspection and manual cleaning.
- 2. The appropriate sanitiser size for your pool is dependant on the local climate and the bather load of the pool. Please note that cell life can be increased with shorter running times during winter. Davey recommends that a sanitiser is run for between 6 8 hours a day during summer, and between 2 4 hours during winter.



This literature is not a complete guide to product usage. Further information is available from your Davey Dealer, Davey Support Centre and from the relevant product Installation and Operating Instructions. Must be read in conjunction with the relevant product Installation and Operating Instructions and all applicable statutory requirements. Product specifications may change without notice. © Davey is a registered trademark of Davey Water Products Pty Ltd. © Davey Water Products Pty Ltd 2021.

